atelje Lyktan



OGLE MINI

Design by Form Us With Love

Flexible spotlight with its own expression

In 2009, design studio Form Us With Love created the luminaire called Ogle. There was a gap in the market for spotlights that could be easily adjusted to direct the light. "We wanted a lamp that looks good by itself but also among a group of lamps".

A new addition was added to the Ogle series, Ogle Mini. A lamp measuring only 90 mm in diameter, cast entirely in aluminum.







Black
Ral 9005 G10




White
Ral 9016 G10 fine texture



Technical specifications

Material	Die-cast aluminium. Faceted reflector in aluminium.
Installation	Mounted on 1-phase or 3-phase rail. 3-phase also fits with FixPoint fitting. Ogle Mini can be tilted up to 90° and is adjustable 360°.
Connection	GU10: 1-phase adapter GB66 for Global Track base rail. 3-phase multi-adapter GA69 (Global Track). COB DALI: Compatible with Global Trac PULSE from Nordic Aluminium and One track from Stucchi COB ON/OFF: Compatible with most track on the market. See separate list under downloads for compatible tracks
Light source	COB: Chip on board LED, color temperature 3000K. Color rendering: CRI 90. Lifespan: L90B10 60 000h. GU10: Recommended light source Master LED is dimmable. Not included
Light scattering	COB: Direct 40°. GU10: See recommended light sources.
Energy classification	This product contains a light source with energy efficiency class F to regulation (EU) No 2019/2015
Light distribution	Selectable. See recommended light source.





atelje Lyktan

Head Office

Fyrvaktaregatan 7, SE–296 81 Åhus, Sweden
Tel: +46 (0)44 28 98 10
E-mail: info@ateljelyktan.se

www.ateljelyktan.se